

# IntraCell



EASY, FAST and RELIABLE



RESHAPE THE WAY OF  
IN VITRO ELECTROPHYSIOLOGY

# Long live the cells!

IntraCell is the first tool for **acute and long-term in vitro cardiac electrophysiology**. The system allows for **Action Potential (AP)** recordings from cardiac cells cultured on Multi Electrode Array (MEAs) devices.



## Real time and label free

Use standard cell culture techniques to perform acute and chronic cardiac electrophysiology, with no need of cell markers, dyes or additional steps. No further sample manipulation is required.



## Time saving and easy-to-use

Fully automated products with no need of extensive training or high-level users' skills. Detection of real-time AP from the same cell culture for more than 35 days with few clicks.



## Multi parametric

Combining electrophysiology measurements and optical imaging from the same cell culture, IntraCell provides multiplexed capabilities, such as contractility analysis in parallel with APs recordings.



## Long term analysis at high resolution

Easy way to get multiple data-points from the same sample to follow long-term studies. Collect data from many cells on the same preparation in one single experiential cycle.



## Electrophysiology of cardiac organoids

Thanks to its cutting-edge technology, IntraCell is capable of detecting high-quality intracellular APs on both bidimensional monolayer and three-dimensional organoids.


**The most reliable solution  
for acute and chronic  
in vitro cardiotoxicity**



# Unique results with IntraCell technology

IntraCell integrates an advanced **laser optoporation** technology that opens transient nanopores within the cell's membrane and allows for **Action Potential (AP) recordings** from cardiac cells cultured on Multi Electrode Array (MEAs) devices.

The combination of laser-based cell optoporation and MEAs provides a unique tool for shedding light on the chronic effects of xenobiotics on cardiac cells. The software FB\_Alps guides the user with an interface for laser **autoalignment** and **autofocus** of the sample.



Choose the MEA layout, laser scan parameters and the electrodes you want to monitor. After a single mouse click, the **automated laser scan** will start cell optoporation for recording APs.

To perform a multiparametric analysis, FB\_Alps and IntraCell allow you to record **real time videos** of the beating cells and to measure their **contractility speed** of either the entire culture or specific regions of interest.

IntraCell is compatible  
with MEA systems and  
enables **high-quality AP**  
recordings



**IntraCell** enables the easy  
observation of the beating  
cells over time



# Real time and label free

**IntraCell** combines electrophysiology with microscopy.

**Recording pictures and videos** of your experiments in **real time** has never been so easy!



Thanks to the integrated microscope, you will be able to observe and record your beating cells at the same time, while recording their APs without the use of any dye.



The laser shooting does not affect the beating rate and the health of your cardiomyocytes, giving your results a new unprecedented reliability!


# Multi-parametric

**APs recordings**



**Real-time imaging**

**Contraction analysis**






# Customize the measurement procedure with **FB\_Alps**




# Long-term analysis at high resolution

Action potential from the same cell culture can be recorded over 44 days-in-vitro (DIV), for a total of **more than 30 monitoring days**, following cell's maturation and development.




**No significant effects  
on the cell health**





# Detection of drugs' effects on ionic channel currents

IntraCell combined with MEA technology is a revolutionary platform to accurately **detect cardiotoxicity** caused by drugs or other molecular entities. The technology has been already validated with several compounds from the CiPA list.




# Chronic cardiotoxicity of pentamidine and recovery after wash out from the same cell

The non-invasive cell poration method allows for **repeating Action Potential recordings** from the same cells over a long period of time, from few hours up to several weeks. Thus, the long-term effects of new chemical entities can be monitored accurately.



# Electrophysiology of cardiac organoids

IntraCell enables the detection of intracellular APs not only on 2D monolayers but also on **3D human cardiac organoids**. The technology offers the opportunity to gather more significant insights into the behavior of your cells by assessing their electrical activity within complex 3D structures. Follow the **electrical activity** of 3D organoids over time and assess **in vitro toxicological effects of drugs** on reliable human cellular constructs.



European  
Innovation  
Council



Funded by  
the European Union



**Check out our  
latest publications!**



[info@foreseebiosystems.com](mailto:info@foreseebiosystems.com)

[foresee.bio@legalmail.it](mailto:foresee.bio@legalmail.it)

+39 340 1396829

+39 329 3169011

[www.foreseebiosystems.com](http://www.foreseebiosystems.com)

Foresee Biosystems srl

Via XX Settembre 33/10

Genoa, 16121, Italy



This project has received funding from the European Union under grant agreement No 101057769. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Innovation Council. Neither the European Union nor the European Innovation Council can be held responsible for them.